

Engineering your Success

**PRODUCT CATALOGUE 2024** 

### STEVE STOPFORTH

082 337 7678 steve@trexmachinery.co.za

### **DYLAN STOPFORTH**

079 701 5974 dylan@trexmachinery.co.za

### **MARI GLOY**

071 755 8553 mari@trexmachinery.co.za



# INDEX

	JETSTREAM SMOKEHOUSES	I
	CONTROLS	2
	CONSTRUCTION	3
	PRODUCT TRAILS	4
	GAS BBQ ROTISSERIE GRILLER	5
ó	1200 LITRE TROLLEY COOKER, SMOKER & DRYER	6
	COOKING POTS	7
	BURGER FORMER	8
	FREE STANDING HYDRAULIC BURGER FORMER	9
	52 MIXER/MINCER I50L	10
	MINCE PORTIONER	II
	PADDLE BLENDER 200	12
	BILTONG SLICER	13
	BILTONG DRYERS	14
	CRATE WASHER	16

# T-REX JETSTREAM SMOKEHOUSES

For Drying, Smoking and Cooking of Meat, Vegetable, Fish, ect. For use in Butcheries, Process Plants, ect.

### **SPECIFICATIONS:**

- Dimensions: W(I760) x H(2950) x D(I200)

- Voltage: 380v

- Power: Drying: 26.4kw

Cooking: 32kw

- Weight: 840KG

- Capacity: +- 500KG (depending on product)

- Air Speed: 23M/S

- Construction: 304 Stainless Steel

### **OPERATION:**

Smart control PLC and HMI touchscreen Easy fill and automatic smoke generator (wood chips)

Low water consumption 20L/H Efficient all-round smoking Automatic Cleaning

Shower for cooling

### **TERMS:**

70% Deposit, 20% before Delivery, I0% on Commission DELIVERY:








SC2500 ECO DOUBLE TROLLEY INC. 2 TROLLEY R 495 000.00



SC2500 ECO (MEDIUM SIZE) INC. I TROLLEY R 240 000.00

# T-REX JETSTREAM SMOKEHOUSES - CONTROLS

For Drying, Smoking and Cooking of Meat, Vegetable, Fish, ect. For use in Butcheries, Process Plants, ect.



### PROGRAM MENU SCREEN



PROGRAM OVERVIEW SCREEN



### PROGRAM SETTING SCREEN



PROGRAM INDICATORS SCREEN

EASY STEP CONTROL UPGRADE TO WI-FI,
BATCH AND LOGS TRACKING, ECT. > SMART TECHNOLOGY

# T-REX JETSTREAM SMOKEHOUSES - CONSTRUCTION

For Drying, Smoking and Cooking of Meat, Vegetable, Fish, ect. For use in Butcheries, Process Plants, ect.














# T-REX JETSTREAM SMOKEHOUSES - PRODUCT TRAILS

For Drying, Smoking and Cooking of Meat, Vegetable, Fish, ect. For use in Butcheries, Process Plants, ect.

















# T-REX GAS BBQ ROTISSERIE GRILLER

For Grilling and Smoking of Meat, Fish and Vegetables ect. For use in Butcheries, Restaurants and Supermarkets, ect.

### **SPECIFICATIONS:**

- Dimensions: W(I400) x H(2350) x D(I950)

- Voltage: 220v

- Power: 32kw Gas Burner

- Weight: 600KG

- Capacity: +- 300KG (depending on product)

- Construction: 304 Stainless Steel

**OPERATION:** 

**Digital Chamber Temperature Control** 

**Efficient Smoke Generation** 

Recirculating fan for even cooking 5x Stainless Steel Cradles with

3 layers each

Power Supply for Gas Operation 220v (Power Supplied from Inverter if no Grid Power available. Customer to supply OWN Inverter and Battery - 2000W INVERTER

### TERMS:

70% Deposit, 30% before Delivery DELIVERY:

3-4 Working Weeks after receipt of Deposit Payment ALL PRICES QUOTED ARE EX WORKS CAPE TOWN.

ALL PRICES ARE EXCLUDING VAT.



GAS BBQ GRILLER / SMOKER MODEL T-REX-BBQ 300 R 220 000.00









# T-REX 1200 LITRE TROLLEY COOKER, SMOKER & DRYER

For Cooking, Smoking and Drying of Meat, Fish and Vegetables ect. For use in Butcheries and Supermarkets, ect.

### SPECIFICATIONS:

W(I500) x H(I600) x D(950) - Dimensions: - Inner Dimension: W(II50) x H(I300) x D(820)

380v - Voltage:

- Power (Smoker): Ikw Woodchip, 6.6kw Drying

- Power (Cooker): I2kw Cooking

- Weight: 240KG

- Construction: 304 Stainless Steel

- Capacity: +- I80KG (depending on product)

Power Supply for Gas Operation 220v (When on gas supply, power supplied from Inverter. 220v Supply from Inverter. Customer to supply OWN Inverter and Battery - 2000W INVERTER



TROLLEY COOKER WITH COMBINED GAS ELECTRIC OPTION FOR LOADSHEDDING R 129 999.00

**OPERATION:** 

**Digital Core & Chamber Temperature Control Efficient Smoke Generation** 

Ix Stainless Steel Trolleu

**TERMS:** 

70% Deposit, 30% before Deliveru

**DELIVERY:** 

3-4 Working Weeks after receipt of Deposit Payment

ALL PRICES QUOTED ARE EX WORKS CAPE TOWN.

ALL PRICES ARE EXCLUDING VAT.

TROLLEY SMOKER / DRYER MODEL T-REX-SD/I200 R79 999

TROLLEY SMOKER/DRYER WITH COMBINED GAS ELECTRIC OPTION FOR LOADSHEDDING R I29 999.00

TROLLEY SMOKER / DRYER / COOKER MODEL T-REX-SDC/I200 R 105 000.00

TROLLEY SMOKER / DRYER / COOKER WITH COMBINED GAS ELECTRIC OPTION FOR LOADSHEDDING R 139 999.00



# T-REX COOKING POTS

For Cooking Polonies, Sandwich Ham ect. For use in Butcheries, and Supermarkets, ect.

### **SPECIFICATIONS**:

- Dimensions: L(2000) x H(I260) x D(II00)

Voltage: 380vPower: 24kwWeight: 120KGCapacity: 1200L

- Construction: 304 Stainless Steel

### **OPERATION:**

Digital Temperature Control Various Sizes built to specifications From 500L - 2000L

### TERMS:

70% Deposit, 30% before Delivery DELIVERY:

4-6 Working Weeks after receipt of Deposit Payment ALL PRICES QUOTED ARE EX WORKS CAPE TOWN.

ALL PRICES ARE EXCLUDING VAT.



COOKING POT MODEL CP/I200 R I09 000.00

COOKING POT MODEL CP/2000 R 180 000.00

# T-REX FREE STANDING HYDRAULIC BURGER FORMER

For forming Burger Patties. For use in Butcheries and Supermarkets, ect.


### **SPECIFICATIONS**:

- Dimensions: L(I800) x H(920) x W(500)

220v - Voltage: - Power: lkw - Weight: 185KG - Air Supply:

7bar I2cfm

- Capacity: +2000 patties/hour



304 Stainless Steel

### TERMS:

70% Deposit, 30% before Delivery **DELIVERY:** 





FREE STANDING HYDRAULIC BURGER FORMER MODEL PMF 26 FS R I59 000.00

# T-REX BURGER FORMER

For forming Burger Patties. For use in Butcheries and Supermarkets, ect.

### **SPECIFICATIONS:**

- Dimensions: L(I300) x H(920) x W(500)

Voltage: 220vPower: IkwWeight: 75KG

- Air Supply: 6-7bar 10cfm

- Capacity: +2000 patties/hour

### CONSTRUCTION:

304 Stainless Steel

### TERMS:

70% Deposit, 30% before Delivery, 10% after Installation DELIVERY:





BURGER FORMER MODEL PM 80V DOUBLE FORMER FOR VACUUM FILLER R 189 000.00

# T-REX PADDLE BLENDER 200

For mixing meat and other products. For use in Butcheries and Supermarkets, ect.

### **SPECIFICATIONS**:

- Dimensions: L(I350) x H(I350) x W(7500)

Voltage: 380vPower: 2.2kwWeight: I25KGCapacity: 200L

- Construction: 304 Stainless Steel

### **OPERATION:**

Forward and reverse operation Easy front unloading Safety switch on Iid

### TERMS:

70% Deposit, 30% before Delivery DELIVERY:

4-6 Working Weeks after receipt of Deposit Payment ALL PRICES QUOTED ARE EX WORKS CAPE TOWN.

ALL PRICES ARE EXCLUDING VAT.

PADDLE BLENDER 200 MODEL BL200 R 79 999.00







# T-REX BLENDER 120L AND UP

For mixing meat and other products. For use in Butcheries and Supermarkets, ect.

### **SPECIFICATIONS**:

- Dimensions: 820 x 580 x 865

- Capacity: +- 70Kg (I20L) or +- I30Kg (200L)

- Construction: 304 Stainless Steel

### **OPERATION:**

Forward and reverse operation
Tilt for Easy unloading
Safety switch on lid
Available from I50L
Ribbon / Paddle option

### TERMS:

70% Deposit, 30% before Delivery DELIVERY:

4-6 Working Weeks after receipt of Deposit Payment ALL PRICES QUOTED ARE EX WORKS CAPE TOWN.

ALL PRICES ARE EXCLUDING VAT.



PADDLE BLENDER I20L MODEL BLI20 Starting from R 30 000.00 Please request a Quotation

# T-REX 52 MIXER / MINCER I50L

For Mixing and Grinding of Meat, Vegetables, Fish ect. For use in Butcheries and Supermarkets, ect.

### **SPECIFICATIONS:**

- Dimensions: H(I200) x L(II60) x W(I000)

Voltage: 380vPower (Worm): 4.5kwPower (Paddle): 2.2kwWeight: 330kg

- Construction: 304 Stainless Steel

### **OPERATION:**

Automatic forward and reverse function Stainless Steel Barrel, Worm & Lock Ring Direct Drive

### TERMS:

70% Deposit, 30% before Delivery DELIVERY:

4-6 Working Weeks after receipt of Deposit Payment ALL PRICES QUOTED ARE EX WORKS CAPE TOWN.

ALL PRICES ARE EXCLUDING VAT.



52 MIXER/MINCER I50I MODEL M/MI50 R I69 000.00







# T-REX MINCE PORTIONER

Automatic Portioner for Minced Meat and similar products. For use in Butcheries and Meat Processing Plants.

### **SPECIFICATIONS:**

- Dimensions: L(I500) x H(850) x W(I000)

**Outer Dimension** 

- Construction: 304 Stainless Steel

### **FEATURES:**

- Heavy-Duty Stainless Steel Castors (2 Lockable)
- Food Grade material used for all parts that come in contact with the product
- Constructed for Maximum Hygiene
- High Output Rate
- Quick and Easy connection to T-Rex Mixer Mincer
- Adjustable inlet belt height for easy connection to mixer/mincer
- 304 Stainless Steel cutting blade and paper roll
- Photocell adjustable for portion lenght

# MINCE MEAT PORTIONER



### **OPERATION:**

- Automatic portioner for minced meat and similar meat product
- Designed to be intergrated with T-Rex Mixer/Mincer

### **TERMS:**

70% Deposit, 30% before Delivery DELIVERY:



# T-REX BILTONG SLICER

For cutting of Biltong. For use in Butcheries and Supermarkets, ect.

### **SPECIFICATIONS**:

- Dimensions: L(400) x H(300) x D(250)

Voltage: 220vPower: I.lkwWeight: 25KG

- Construction: 304 Stainless Steel

### **OPERATION:**

Adjustable from Imm to 20mm

### TERMS:

70% Deposit, 30% before Delivery DELIVERY:

2 Working Weeks after receipt of Deposit Payment ALL PRICES QUOTED ARE EX WORKS CAPE TOWN.
ALL PRICES ARE EXCLUDING VAT.

BILTONG SLICER MODEL TBSA/20 R 7 200.00



# T-REX BILTONG DRYERS

For drying of Meat and Fish ect. For use in Butcheries and Supermarkets, ect.

### **SPECIFICATIONS**:

- Power: 1000w Element
- Construction: 304 Stainless Steel

### **OPERATION:**

Pre-set thermostat temperature control Fan

10x Aluminium Sticks (full dryer only)

### TERMS:

70% Deposit, 30% before Delivery DELIVERY:

4-6 Working Weeks after receipt of Deposit Payment ALL PRICES QUOTED ARE EX WORKS CAPE TOWN.

ALL PRICES ARE EXCLUDING VAT.





BILTONG DRYER MODEL T-REX-DI/I900 R 25 999.00

## T-REX CRATE WASHER

For washing crates in the food industry. For use in Butcheries and Meat Processing Plants.

### **SPECIFICATIONS**:

- Capacity: 150 crates/hour

- Water to waste: +- 200L/H

- Construction: 304 Stainless Steel

### **OPERATION:**

Crate Size: 600x420x420 (MAX)

Conveyor: heat resistant modular belting

Recirculating water for wash system

Effective filtration system

High-pressure nozzles with adjustable angle

Easy manual dosing system

Automatic dosing optional
Adjustable automatic temperature control

### TERMS:

70% Deposit, 30% before Delivery DELIVERY:









CRATE WASHER MODEL T-REX CWI50 R 189 000.00

# T-REX OTHER MACHINES BUILT

